

ANNEX C2 - FINANCIAL OFFER FORM

SUPPLY AND DELIVERY OF APPLIANCES, ELECTRICAL AND ICT ITEMS (LOT - 4)

NO	ITEMS	DESCRIPTION	ESTIMATED ANNUAL QUANTITY	UNIT OF MEASURE	UNIT PRICE (BDT) DELIVERED TO UNHCR DHAKA OFFICE	PLEASE ADD SEPARATELY THE VAT AS APPLICABLE	DELIVERY LEAD-TIME TO UNHCR DHAKA OFFICE	UNIT PRICE (BDT) DELIVERED TO UNHCR COX'S BAZAR OFFICE	PLEASE ADD SEPARATELY THE VAT AS APPLICABLE	DELIVERY LEAD-TIME TO UNHCR COX'S BAZAR OFFICE	WARRANTY (IN YEARS)	AFTER SALES SERVICE
1	Non- electric water purifier	Multistage purification; Germ Killer; 23 Liter capacity; Dimension : 61(H) x 29 (W)x 26 (D) cm	30	pcs								
2	Electric Kettle	Cordless 1.5-1.8 L	30	pcs								
3	Microwave	23 L capacity	10	pcs								
4	Inverter Split Air Conditioner	1 ton capacity (3.5kw min), wall-mounted; white. • The supplier shall provide a detailed technical specification sheet for each of the air conditioning units, which shall include the following information : Energy efficiency rating, Max. input current (A), operating current (A), cooling capacity (kW), fan capacity (m3/hr), dimensions, noise levels (dBA), manufacturer, model, warranty. Supplier to install wiring to wall-mounted AC units (internal and/or external unit as required) using 3x2.5sqmm PVC/PVC cabling enclosed in PVC conduit. Supply and install 13A socket at internal units. Equipment locations to be agreed with site engineer before installation. The supplier shall also include for 2 years maintenance of the AC unit in their bid price. Technicians for the daily maintenance should be available readily in Cox's Bazar.	15	pcs	Price has to include mounting and installation and warranty.			Price has to include mounting and installation and warranty.			Mandatory	Mandatory Please explain how your company would provide after sales services and specify what is included in the maintenance & after sales service.
5	Inverter Split Air Conditioner	1.5 ton capacity (5.25kw min), wall-mounted; white. • The supplier shall provide a detailed technical specification sheet for each of the air conditioning units, which shall include the following information : Energy efficiency rating, Max. input current (A), operating current (A), cooling capacity (kW), fan capacity (m3/hr), dimensions, noise levels (dBA), manufacturer, model, warranty. Supplier to install wiring to wall-mounted AC units (internal and/or external unit as required) using 3x2.5sqmm PVC/PVC cabling enclosed in PVC conduit. Supply and install 13A socket at internal units. Equipment locations to be agreed with site engineer before installation. The supplier shall also include for 2 years maintenance of the AC unit in their bid price. Technicians for the daily maintenance should be available readily in Cox's Bazar.	20	pcs	Price has to include mounting and installation and warranty.			Price has to include mounting and installation and warranty.			Mandatory	Mandatory Please explain how your company would provide after sales services and specify what is included in the maintenance & after sales service.

6	Inverter Split Air Conditioner	<p>2 ton capacity (7kw Min), wall-mounted; white. • The supplier shall provide a detailed technical specification sheet for each of the air conditioning units, which shall include the following information: Energy efficiency rating, Max. input current (A), operating current (A), cooling capacity (kW), fan capacity (m3/hr), dimensions, noise levels (dBA), manufacturer, model, warranty.</p> <p>Supplier to install wiring to wall-mounted AC units (internal and/or external unit as required) using 3x2.5sqmm PVC/PVC cabling enclosed in PVC conduit. Supply and install 13A socket at internal units. Equipment locations to be agreed with site engineer before installation.</p> <p>The supplier shall also include for 2 years maintenance of the AC unit in their bid price. Technicians for the daily maintenance should be available readily in Cox's Bazar.</p>	30	pcs	Price has to include mounting and installation and warranty.								Mandatory	<p>Mandatory Please explain how your company would provide after sales services and specify what is included in the maintenance & after sales service.</p>	
7	Dehumidifiers	Capacity : 5 litres per day @ 25C, Relative Humidity 60%. Supplier to provide technical specification sheet with air flow capacity, electrical current ratings, sound output, dimensions and weight	30	pcs											
8	Dehumidifiers	Capacity : 10 litres per day @ 25C, Relative Humidity 60%. Supplier to provide technical specification sheet with air flow capacity, electrical current ratings, sound output, dimensions and weight.	30	pcs											
9	Cassette AC Units	<p>Split ceiling-mounted cassette inverter AC units – 1 ton (3.5kW) capacity.</p> <p>• The supplier shall provide a detailed technical specification sheet for the air conditioning units, which shall include the following information: Energy efficiency rating, Max. input current (A), operating current (A), cooling capacity (kW), fan capacity (m3/hr), dimensions, noise levels (dBA), manufacturer, model, warranty.</p> <p>• Supplier to include installation of AC unit & electrical wiring (13A socket wired with 2.5sqmm PVC/PVC cabling enclosed in PVC conduit to 16/20A MCB – separate MCB for each AC unit). Equipment locations to be agreed with site engineer before installation.</p> <p>• The supplier shall also include for minimum 2 years maintenance of the AC unit in their bid price.</p>	30	pcs	Price has to include mounting and installation and warranty.									<p>Mandatory Please explain how your company would provide after sales services and specify what is included in the maintenance & after sales service.</p>	

21a	Open-Ceiling Weatherized Indoor Outdoor 125W Pendant Speakers	<ul style="list-style-type: none"> •Patented BroadBeam™ waveguide technology delivers a consistent dispersion pattern for maximum intelligibility and edge-to-edge coverage (up to 10 kHz, independently verified) •One 8" (203 mm) polypropylene woofer and one 1" (25 mm) convex titanium tweeter with FerroFluid cooling mounted to a proprietary cast-aluminum baffle and heat sink •Weatherized components for indoor and outdoor applications •Includes UL listed hanging hardware with galvanized steel cables and integrated SpeedClamp self-locking cable grip for fast, easy and secure installation. Also includes Euroblock connector and terminal weather boot •Patented ZeroReflection enclosure technology for optimal sound reproduction and cabinet rigidity •Easy access six-position selectable tap switch for 25-, 70.7- and 100-volt applications with transformer bypass position simplifies ordering and inventory tracking •Steel grille with protective powder-coated finish for lasting durability •Average sensitivity of 89.5 dB offers high-output capabilities and reduced amplification costs •UL 3480 (IEAV), 2239 (hanging cable) and milspec 810 approved 	6	pcs								
21b	Professional 12-Channel Line Mixer with Priority	<ul style="list-style-type: none"> •8 HDHQ™ combination inputs with MIC, Phantom, and Line selector switches •8 mono (3 stereo) RCA Inputs •Mic monitor 1/4" output for private listening to all mic inputs •Balanced XLR line outputs •Mono 1/4" line output can be used to feed audio to external recording device •AC or 24V DC power inputs •Mic 1 Priority Control •Master and individual level controls •RU rack mountable 	1	pcs								
21c	2-Channel Power Amplifier	<ul style="list-style-type: none"> •"Flex-Use" loading options allow you to drive low-impedance loads down to 2 ohms and certain models to drive 70 and 100V distributed loudspeaker systems •"Flex-Use" input connectivity choices including actively balanced barrier strip, XLR, or 1/4" TRS •"Flex-Use" output connectivity choices include NL4 Speakon™ and detachable terminal block •Rack mountable with chassis less than 16" or 40.6 mm deep •8 dB recessed, detented gain controls for fast, accurate and repeatable settings •Bumper-proof security cover for gain controls •Recessed rear DIP switches for easy selection of stereo, parallel, or bridged mode operation, and the additional choice of enabling/disabling low-frequency filter protection •Low-noise variable-speed fans with rear-to-front airflow keep amplifiers and racks cool 	1	pcs								

21d	CD and Media Player with Integrated AM/FM Receiver and Bluetooth	<p>CD/SD/USB/ and FM/AM tuner realtime audio playback</p> <p>Wireless Bluetooth playback when paired with a Bluetooth-enabled device like a smartphone, tablet, or computer</p> <p>Outputs: XLR, RCA X 2, and headphone</p> <p>1/8" audio input for playback from any external source</p> <p>"Power on Play" function starts audio playback automatically when powered on</p> <p>"Panel Lock" function disables buttons to avoid unauthorized operation or programming</p> <p>Real-time recording from CD or FM/AM tuner to SD or USB media</p> <p>External control via RS-232C</p> <p>Control via ethernet with optional IF-E100 ethernet card is planned in the future</p>	1	pcs									
21e	Single-Channel 2.4 GHz Handheld System	<p>Receiver:</p> <p>2.4 GHz ISM band stable digital FSK modulation circuitry. All frequencies are located within this band</p> <p>With the FHSS frequency-hopping technique, each channel has 4 preset hopping frequencies</p> <p>By using an adaptive tracking algorithm, the 2400-Series can skip the Wi-Fi frequency in use and effectively avoid interference from 2.4 GHz communication products</p> <p>The hopping frequencies skip most Wi-Fi frequencies</p> <p>With dual tuner, true diversity receiving, receiving distance is up to 100 meters (330 ft) with no signal drop-out</p> <p>PCB is enclosed in a sturdy case</p> <p>The antennas are fixed at the left / right side of the front panel</p> <p>The transmitter has a high-efficiency circuitry design. The included single rechargeable lithium battery can be easily removed or interchanged for charging. The intelligent battery charger maintains a high charge capacity for up to 600 charge cycles</p> <p>Ideal for entry-level consumers</p> <p>Transmitter:</p> <p>Bright LEDs for battery status</p> <p>Patented design of the integrated grille and</p>	1	set									
21f	Other Accessories	<p>Patented design of the integrated grille and</p> <p>• 2 Pcs of CBI BLC-3 22 Gauge Balanced Wire Cable</p>	1	Set									
21g	Installation	Installation	1	NOS									
22	Laptop Computer type 1	<p>Basic Information</p> <p>Processor: Intel Core i5-8265U (6M Cache, 1.60GHz up to 3.90 GHz)</p> <p>Processor</p> <p>Display: 14" FHD (1920 x 1080) IPS-AG Display</p> <p>Memory: 8GB DDR4 RAM</p> <p>Storage: 1TB HDD + 128GB SSD</p> <p>Graphics: NVIDIA MX230 2GB Graphics</p> <p>Chipset: Intel</p> <p>Operating System: Win-10 Pro with license</p> <p>Microsoft office: 2019</p> <p>Battery: 3 Cell Li-Polymer</p> <p>Audio: 2 x 2W speakers</p> <p>Input Devices</p> <p>Keyboard: Standard</p> <p>Optical Drive: No</p> <p>WebCam: HD Webcam</p> <p>Card Reader: In-1 SD card reader</p> <p>Network & Wireless Connectivity</p> <p>Wi-Fi: 802.11 AC 1x1 & 2x2</p> <p>Bluetooth: 2 Bluetooth</p> <p>Ports, Connectors & Slots</p> <p>USB (s): 2 x USB 3.1 Gen 1 (1 supports charging)</p> <p>1 x USB-C (USB 3.1)</p> <p>HDMI: 1x HDMI</p> <p>Audio Jack: Combo</p> <p>Extra RAM Slots: No</p> <p>Extra M.2 Slots: No</p> <p>Physical Specification</p>	40	pcs	Price has to include warranty.			Price has to include warranty.				Mandatory Please explain how your company would provide after sales services and specify what is included in the after sales service.	

23	Laptop Computer type 2	<p>Basic Information Processor: Intel® Core™ i7-8550U Processor (8M Cache, 1.80 GHz up to 4.00 GHz, 4 Cores, 8 Threads) Display: 12.5" FHD (1920 x 1080) IPS Memory: 8 GB DDR4 Ram Storage: 256 GB PCIe SSD Graphics: Intel® UHD 620 Operating System: Genuine Windows 10 Pro with license Microsoft Office: 2019 Battery: Up to 16 hours Audio: Dolby® Premium Audio Input Devices Keyboard: Backlit Optical Drive: No Webcam: 720p HD with IR Camera Card Reader: Smart Card reader Network & Wireless Connectivity Wi-Fi: Intel® Dual Band Wireless-AC (2 x 2) Bluetooth: 4.2 Ports, Connectors & Slots USB (s): USB 3.0, USB Type-C HDMI: Yes Audio Jack: Combo audio combo jack Physical Specification Dimensions (W x D x H): 307.7 mm x 209.8 x 17.4-17.8 mm / 12.1" x 8.3" x 0.69-0.70"</p>	40	pcs	Price has to include warranty.			Price has to include warranty.			<p>Mandatory Please explain how your company would provide after sales services and specify what is included in the after sales service.</p>
24	Mobile Phone	<p>Category Smartphone Network Network Type GSM / HSPA / LTE Network 2G GSM 850 / 900 / 1800 / 1900 - SIM 1 & SIM 2 (Dual-SIM Model only) Network 3G HSDPA 850 / 900 / 1900 / 2100 Network 4G LTE Speed HSPA, LTE-A GPRS Yes EDGE Yes Body Body Dimensions 158.5 x 73.6 x 7.9 mm (6.24 x 2.90 x 0.31 in) Body Weight 172 g Build Glass Front (Gorilla Glass 3), Plastic Back, Plastic Frame</p>	100	pcs	Price has to include warranty.			Price has to include warranty.			<p>Mandatory Please explain how your company would provide after sales services and specify what is included in the after sales service.</p>